



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

# Chapter 5

## Image Segmentation I: Basics

Computer Vision I: Variational Methods

Winter 2017/18

Dr. Yvain QUÉAU  
Chair for Computer Vision and Pattern Recognition  
Departments of Informatics & Mathematics  
Technical University of Munich



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

**1 Image Segmentation**

**2 Brightness, Color, Texture, Motion, Shape**

**3 Basic Concepts**

**4 Edge-based Segmentation**

**5 Region-based Segmentation**

**6 The Watershed Transform**

**7 Summary**

# Overview

## 1 Image Segmentation

## 2 Brightness, Color, Texture, Motion, Shape

## 3 Basic Concepts

## 4 Edge-based Segmentation

## 5 Region-based Segmentation

## 6 The Watershed Transform

## 7 Summary



# Image Segmentation – A Difficult Problem



Original photograph by R. C. James



## Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary



## Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

The goal of **image segmentation** (Bildsegmentierung) is to partition the image plane into “meaningful” components.

What is meaningful depends on the application. Typically one may want a segmentation where each region corresponds to a separate object or structure in the scene. In this sense, image segmentation is tightly coupled with figure-ground discrimination, **image interpretation** and semantic analysis.

Image segmentation is the **most studied problem** in image processing.

There exist many approaches. They typically differ in:


- **which local properties are considered** in the process (brightness, color, texture, motion,...).
- **how the partitioning is computed** (examples: region merging, region growing, watershed, graph cuts, level sets, convex relaxation techniques,...).

# Overview

- 1 Image Segmentation
- 2 Brightness, Color, Texture, Motion, Shape**
- 3 Basic Concepts
- 4 Edge-based Segmentation
- 5 Region-based Segmentation
- 6 The Watershed Transform
- 7 Summary



# Segmentation: Brightness



Mumford, Shah '89, Chan, Vese, TIP '01

# Segmentation: Color



Keuchel et al. PAMI '03



Nieuwenhuis, Cremers PAMI '13




## Segmentation: Texture




Brox, Weickert, ECCV '04



Heiler, Schnörr, IJCV '05



Awate et al., ECCV '06



Awate et al., ECCV '06





# Segmentation: Motion






Cremers, Soatto, *Motion Competition*, IJCV 2005.

# Segmentation: Brightness and Shape



Cremers et al., ECCV '02    Schoenemann, Cremers PAMI '09

# Semantic Multilabel Segmentation



Souiai et al., EMMCVPR '13



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

# Semantic Multilabel Segmentation



Multi-label segmentation with length regularity



Multi-label segmentation with proportion priors

Nieuwenhuis, Strekalovskiy, Cremers, ICCV '13



# Overview

- 1 Image Segmentation
- 2 Brightness, Color, Texture, Motion, Shape
- 3 Basic Concepts**
- 4 Edge-based Segmentation
- 5 Region-based Segmentation
- 6 The Watershed Transform
- 7 Summary



# Basic Concepts in Image Segmentation

Segmentation methods are generally based on two complementary concepts:

- **Edge-based methods** identify contours which approximate discontinuities of the color or texture. Whereas traditional methods heuristically group the output of edge detectors into connected curves, in recent years optimal boundaries are computed by energy minimization.
- **Region-based methods** identify regions in the image plane for which some criterion is more or less uniform (brightness, color, textures,...). Among these methods are the simple thresholding, region growing, region merging, but also a number of energy minimization methods.

Many segmentation methods exploit discontinuities or regional homogeneity. Yet, they are based on **different representations of the solution** (discrete vs. continuous, explicit vs. implicit) and on **different numerical solutions** (PDEs, maximum-flow algorithms, stochastic sampling,...).



# Overview

- 1 Image Segmentation
- 2 Brightness, Color, Texture, Motion, Shape
- 3 Basic Concepts
- 4 Edge-based Segmentation**
- 5 Region-based Segmentation
- 6 The Watershed Transform
- 7 Summary



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

**Edge-based  
Segmentation**

Region-based  
Segmentation

The Watershed  
Transform

Summary

## Edge-based Segmentation in 8 Steps

Many strategies have been proposed to aggregate gradient based edge information into a coherent segmentation.

For example the following:

- 1 Identify edges by thresholding the gradient norm,
- 2 thin out regions (  $\rightarrow$  1-dim. structures),
- 3 expand contour pieces (  $\rightarrow$  close gaps),
- 4 identify connected components,
- 5 eliminate smaller regions,
- 6 thin out regions (again),
- 7 introduce new boundary pixels (  $\rightarrow$  close gaps),
- 8 eliminate smaller regions.

W. A. Perkins, IEEE Trans. on PAMI 1980





## Edge-based Segmentation: Laplace Zero Crossings

A strategy to automatically generate **closed curves** is to determine the zero crossings of the Laplacian of the image  $f$ :

$$\Delta(G_{\sigma} * f) = 0.$$

where  $G_{\sigma}$  denotes Gaussian smoothing of width  $\sigma$ .



Laplace zero-crossings for increasing  $\sigma$  (Author: D. Cremers)



# Overview

- 1 Image Segmentation
- 2 Brightness, Color, Texture, Motion, Shape
- 3 Basic Concepts
- 4 Edge-based Segmentation
- 5 Region-based Segmentation**
- 6 The Watershed Transform
- 7 Summary



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

**Region-based  
Segmentation**

The Watershed  
Transform

Summary

The simplest method to compute segmentations is to threshold the input image  $f : \Omega \rightarrow \mathbb{R}$ :

$$g(x) = \begin{cases} 1, & f(x) > \theta \\ 0, & \text{else} \end{cases}$$

The threshold  $\theta \in \mathbb{R}$  must be chosen appropriately.

For many images one can automatically determine appropriate thresholds by selecting **minima of the smoothed histogram of brightness values**.

Otsu proposed to select the threshold such that the **brightness variance of object and background are minimized**:

N. Otsu, *A Threshold Selection Method from Gray-Level Histograms*, IEEE Transactions on Systems, Man, and Cybernetics, vol. 9, no. 1, pp. 62-66, 1979.

**Matlab:** `level=graythresh(I);`



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts


Edge-based  
Segmentation

Region-based  
Segmentation


The Watershed  
Transform

Summary


# Thresholding




Input image




histogram




$\theta = 100$



$\theta = 150$



$\theta = 200$



Otsu:  $\theta = 165.5$

Author: D. Cremers



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

## Alternative Methods

There exists a number of adaptive thresholding techniques:

- Determine  $\theta$  as the **minimum of the (smoothed) histogram**.
- **Otsu**: Determine  $\theta$  by minimizing brightness variance.
- Set  $\theta$  = **average brightness**.
- **Spatially adaptive**:  $\theta$  = average brightness in the vicinity.
- **Clustering**: Determine mean intensity of inside ( $\mu_1$ ) and outside ( $\mu_2$ ):

$$\theta = \frac{\mu_1 + \mu_2}{2}$$

recompute segmentation and iterate.

- **Double thresholding**: For two threshold values  $\theta_1 < \theta_2$  determine:
  - 1 all pixels  $i$  for which  $f_i > \theta_2$  and
  - 2 all pixels  $j$  with  $f_j > \theta_1$ , which are connected with a pixel  $i$  (for which  $f_i > \theta_2$ ).



# Thresholding: Advantages and Drawbacks

## Advantages:

- + Very fast to compute.
- + Adaptive variants allow to
  - + adapt to brightness distribution of the image,
  - + take into account brightness variance in the separated regions.

## Drawbacks of thresholding:

- Thresholding methods neglect **spatial context**, for example the information that neighboring pixels are likely to be part of the same region. Instead all pixels are treated independently.
- Somewhat limited generality. A systematic (and mathematically more transparent) generalization of adaptive thresholding methods is given by **clustering methods**.



# Segmentation by Color Clustering



Idea: Compute segmentations of an image by combining pixels of “similar” color in a single region.

Consider the colors of all pixels as **samples in the rgb color space  $\mathbb{R}^3$**  and apply a clustering algorithm.

There exist many possible clustering algorithms (see for example the Matlab help menu).

Among the best known methods is **k-means clustering**. This method determines a given number of  $k$  clusters by iteratively assigning data points to the nearest of  $k$  cluster centers and subsequently recomputing these cluster centers.

An extension of this amounts to fitting each cluster with a **multivariate Gaussian distribution** (i.e. an ellipsoid), thereby allowing adaptive stretching (in color space).

Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

# Segmentation with k-means Clustering



Input



Otsu threshold



2 clusters



5 clusters



5 cluster reconstr.



10 cluster reconstr.

Author: D. Cremers

The last two images are obtained by assigning each region the color of its cluster center. → color quantization



Region-based segmentation methods are related to thresholding and clustering methods. In addition, they consider (explicitly or implicitly) **spatial context**.

The central idea is as follows: Partition the image plane  $\Omega \subset \mathbb{R}^2$  into  $n$  **pairwise disjoint regions**  $\{\Omega_1, \dots, \Omega_n\}$  such that:

- (i)  $\bigcup_{i=1}^n \Omega_i = \Omega$ ,
- (ii)  $\Omega_i \cap \Omega_j = \emptyset$ , if  $i \neq j$ .
- (iii)  $P(\Omega_i) = \text{TRUE} \forall i$ ,  $P(\Omega_i \cup \Omega_j) = \text{FALSE} \forall i \neq j$ .

In addition, one typically assumes that neighboring pixels are preferably part of the same region (**spatial context**).

Condition (iii) states that region  $\Omega_i$  should be **homogeneous with respect to some property  $P$** . Any union of two regions, on the other hand, should not be.



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

## Region Growing and Region Merging

Two rather old methods for computing region-based segmentations are region growing and region merging.

### Region Growing (Adams & Bischof, PAMI '94):

- 1 Select a seed pixel.
- 2 Iteratively include neighboring pixels as long as their color is sufficiently similar.

### Region Merging (Brice, Fennema 1970, Koepfler et al. '95):


- 1 Start with a partitioning for which each pixel is its own region.
- 2 Iteratively merge neighboring regions as long as they are sufficiently similar.

**Advantages:** interactive, always determines connected regions.

**Drawbacks:** Threshold values (“sufficiently similar”) needed, typically lack a systematic optimization criterion.




## Region-based segmentation in nature



Territories of male *Tilapia mossambica* - Photograph from G. Barlow in *Animal Behavior*, 1974



# Over-segmentation AKA superpixels



SLIC segmentation, Achanta et al., PAMI 2012

Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

# Overview

- 1 Image Segmentation
- 2 Brightness, Color, Texture, Motion, Shape
- 3 Basic Concepts
- 4 Edge-based Segmentation
- 5 Region-based Segmentation
- 6 The Watershed Transform**
- 7 Summary



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation


Region-based  
Segmentation

The Watershed  
Transform

Summary

# The Watershed Transform

An (edge-based) segmentation can be computed using the watershed transform (Wasserscheidentransformation).



(source: P. Soille 1998)

Intuition:

- Interpret the gradient of the smoothed image  $|\nabla f_{\sigma}(x)| \equiv |\nabla G_{\sigma} * f|$  as a height profile.
- For each point let water drops go down-hill until they fill a basin (steepest descent).
- All points going to the same basin form a connected region (linear complexity).




# The Watershed Transform




Input



$\sigma = 2.5$



$\sigma = 5$



$\sigma = 7$



$\sigma = 10$



$\sigma = 10$  Reconstr.

Author: D. Cremers

The last image is obtained by coloring respective regions with their average color value.



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation


The Watershed  
Transform

Summary


# Watershed with Nonlinear Diffusion

One drawback of the watershed transform is that it typically leads to an **over-segmentation** (too many small regions).


On the other hand, a simple presmoothing delocalizes semantically important edge information. A better alternative is nonlinear presmoothing (for example with **Perona-Malik diffusion**).



Perona-Malik



watershed



segmentation

Author: D. Cremers



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts


Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

# Watershed with Nonlinear Diffusion



Diffused



1104 regions

Author: D. Cremers

Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation


Region-based  
Segmentation

The Watershed  
Transform


Summary

# Clustering with Nonlinear Diffusion

Nonlinear diffusion filtering can also be used as preprocessing in order to introduce spatial context into color clustering.



Diffused



10 cluster

Author: D. Cremers



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

# Overview

- 1 Image Segmentation
- 2 Brightness, Color, Texture, Motion, Shape
- 3 Basic Concepts
- 4 Edge-based Segmentation
- 5 Region-based Segmentation
- 6 The Watershed Transform
- 7 Summary



Image Segmentation

Brightness, Color,  
Texture, Motion, Shape

Basic Concepts

Edge-based  
Segmentation

Region-based  
Segmentation

The Watershed  
Transform

Summary

# Summary

- We have seen a number of edge-based and region-based segmentation methods (Laplace zero-crossings, thresholding, clustering, region growing, region merging, watershed).
- Edge-based methods exploit brightness discontinuities as a criterion of region boundaries. The integration of such edge information to coherent closed curves is an algorithmic challenge.
- Region-based methods exploit color similarity as a criterion for grouping pixels into coherent regions.
- The last methods (region growing, merging, watershed) also integrate some kind of neighborhood information, albeit in a somewhat heuristic manner.
- The above methods (except for clustering) lack a mathematically transparent optimization criterion. This is where optimization methods and statistical approaches enter the picture.

